What is claimed is:

1. A method of mapping information to a virtual space, the method comprising,

employing a first plurality of data objects contained within a first data source,

employing a first spatial paradigm for defining a first plurality of hierarchical relationships between said first plurality of data objects, and

virtually locating said first plurality of data objects in a first portion of said virtual space through which a user can navigate in a substantially unrestricted fashion.

2. The method of claim 1 further comprising associating a first address with said first portion of said virtual display space.

3. The method of claim 2 further comprising displaying a subset of said first plurality of said data objects to said user in response to receiving said first address.

4. The method of claim 2 wherein said step of associating further comprises,

associating a first portion of said first address with a server, and

associating a second portion of said first address with said first plurality of hierarchical relationships.

5. The method of claim 4 wherein said server is at least one of a virtual server, a physical server, an Internet server, an intranet server and a remote server.

6. The method of claim 1 further comprising enabling a user to view from an adjustable viewing perspective an appearance of a subset of said first plurality of data objects.

7. The method of claim 6 further comprising enabling said user to navigate said data objects in a substantially and unrestricted fashion.

8. The method of claim 1 further comprising,

employing a second plurality of data objects contained within a second data source,

employing a second spatial paradigm for defining a second plurality of hierarchical relationships between said second plurality of data objects, and

virtually locating said second plurality of data objects in a second portion of said virtual space.

9. The method of claim 8 further comprising defining a hierarchical relationship in said virtual space between said first plurality of hierarchical relationships and said second plurality of hierarchical relationships

10. The method of claim 8 further comprising associating a second address with said second position of said virtual space.

11. The method of claim 10 further comprising enabling a user to display from an adjustable viewing perspective an appearance of a subset of any of said first and said second plurality of data objects.

12. The method of claim 1 further comprising leasing portions of said virtual space.

13. The method of claim 1 further comprising selling portions of said virtual space.

14. The method of claim 2 wherein said first address is associated with a universal resource locator ("URL").

15. A system for mapping information to a virtual display space, the system comprising,

a computing device adapted to employ a first plurality of data objects contained within a first data source, and a first spatial paradigm for defining a first plurality of hierarchical relationships between said first plurality of data objects, and to virtually locate said first plurality of data objects in a first portion of said virtual space through which a user can navigate in a substantially unrestricted fashion.

16. The system of claim 15 further adapted to associate a first address with said first portion of said virtual display space.

17. The system of claim 16 further adapted to displaying a subset of said first plurality of said data objects to said user in response to receiving said first address.

18. The system of claim 16 further adapted to associate a first portion of said first address with a server, and to associate a second portion of said first address with said first plurality of hierarchical relationships.

19. The system of claim 18 wherein said server is at least one of a virtual server, a physical server, an Internet server, an intranet server and a remote server.

20. The system of claim 15 further adapted to enable a user to view from an adjustable viewing perspective an appearance of a subset of said first plurality of data objects.

21. The system of claim 20 further adapted to enable said user to navigate said data objects in a substantially and unrestricted fashion.

22. The system of claim 15 further adapted to employ a second plurality of data objects contained within a second data source and a second spatial paradigm for defining a second plurality of hierarchical relationships between said second plurality of data objects, and to virtually locate said second plurality of data objects in a second portion of said virtual space.

23. The system of claim 22 further adapted to define a hierarchical relationship in said virtual space between said first plurality of hierarchical relationships and said second plurality of hierarchical relationships.

24. The system of claim 22 further adapted to associate a second address with said second position of said virtual space.

25. The system of claim 24 further adapted to enable a user to display from an adjustable viewing perspective an appearance of a subset of any of said first and said second plurality of data objects.

26. The system of claim 15 further adapted to lease portions of said virtual space.

27. The system of claim 15 further adapted to sell portions of said virtual space.

28. The system of claim 15 wherein said first address is associated with a universal resource locator ("URL").

29. A method of mapping information to a virtual space, the method comprising,

employing a data object contained within a data source, and

virtually locating said data object in a first portion of said virtual space through which a user can navigate in a substantially unrestricted fashion.